

## 4. Saiten / Strings / Cordes / Corde

### 4.3 Rose-Saiten / Rose Strings

#### Cordes Rose / Corde di Rose



#### Eisen Typ A

für Cembali

L = 2.50 m (Saite); 50 m (Spule)

#### Iron type A

for harpsichords

L = 2.50 m (strings); 50 m (reel)

#### Fer type A


pour les clavecins

L = 2.50 m (corde); 50 m (bobine)

#### Ferro tipo A

per i clavicembali

L = 2.50 m (corde); 50 m (gomito)



**Weitere Informationen** zu den untenstehenden Richtwerten, den Reisstests und dem Lieferumfang finden Sie am Anfang des Kapitels. **Please find** further information about the indexes, the tear tests and the delivery volume at the beginning of this chapter.

**Veillez trouver** les autres informations de valeurs indicatives, de tests de ruptures et de volume de livraison au commencement du ce chapitre.

**Ulteriori informazioni** su misura riverimento, testi di rotura e volume di consegna si trovano al linizio del capitolo.

Ø	0.21	0.25	0.30	0.40	0.48	mm
R <sub>m</sub>	1450	1350	1200	1000	900	N/mm <sup>2</sup>
max .	63	63	63	63	60	%
415Hz	345	337	315	290	270	mm
440Hz	325	318	298	275	256	mm

Dichte / weight / poids / densita = 7.844 g/cm<sup>3</sup>

Nr/No/N°	Ø	L	≥1
42-2737	0.52	2.5 m	7,67 €
42-2738	0.52	50 m	21,20 €
42-2735	0.48	2.5 m	7,67 €
42-2736	0.48	50 m	21,20 €
42-2733	0.44	2.5 m	7,67 €
42-2734	0.44	50 m	21,20 €
42-2455	0.40	2.5 m	7,67 €
42-2456	0.40	50 m	17,80 €
42-2453	0.36	2.5 m	7,67 €
42-2454	0.36	50 m	17,80 €
42-2451	0.33	2.5 m	7,67 €
42-2452	0.33	50 m	17,80 €
42-2374	0.30	2.5 m	7,67 €
42-2375	0.30	50 m	17,80 €
42-2376	0.27	2.5 m	7,67 €
42-2377	0.27	50 m	17,80 €
42-2378	0.25	2.5 m	7,67 €
42-2379	0.25	50 m	17,80 €
42-2380	0.23	2.5 m	7,67 €
42-2381	0.23	50 m	17,80 €
42-2382	0.21	2.5 m	7,67 €
42-2383	0.21	50 m	17,80 €

42-2384	0.19	2.5 m	7,67 €
42-2385	0.19	50 m	17,80 €



#### Eisen Typ B

für frühe Hammerflügel

L = 2.50 m (Saite); 50 m (Spule)

#### Iron type B

for early fortepianos

L = 2.50 m (strings); 50 m (reel)

#### Fer type B


pour les fortepianos 18e siècle

L = 2.50 m (corde); 50 m (bobine)

#### Ferro tipo B

per i fortepiano molto antichi

L = 2.50 m (corde); 50 m (gomito)



**Weitere Informationen** zu den untenstehenden Richtwerten, den Reisstests und dem Lieferumfang finden Sie am Anfang des Kapitels. **Please find** further information about the indexes, the tear tests and the delivery volume at the beginning of this chapter.

**Veillez trouver** les autres informations de valeurs indicatives, de tests de ruptures et de volume de livraison au commencement du ce chapitre.

**Ulteriori informazioni** su misura riverimento, testi di rotura e volume di consegna si trovano al linizio del capitolo.

Ø	0.25	0.30	0.40	0.60	0.80	mm
R <sub>m</sub>	1600	1500	1250	1050	900	N/mm <sup>2</sup>
max .	68	67	66	63	62	%
415Hz	383	362	324	296	270	mm
440Hz	361	342	305	280	254	mm

Dichte / weight / poids / densita = 7.757 g/cm<sup>3</sup>

Nr/No/N°	Ø	L	≥1
42-2424	0.80	2.5 m	7,67 €
42-2425	0.80	50 m	21,20 €
42-2426	0.75	2.5 m	7,67 €
42-2427	0.75	50 m	21,20 €
42-2428	0.70	2.5 m	7,67 €
42-2429	0.70	50 m	21,20 €
42-2430	0.65	2.5 m	7,67 €
42-2431	0.65	50 m	17,80 €
42-2432	0.60	2.5 m	7,67 €
42-2433	0.60	50 m	17,80 €
42-2434	0.56	2.5 m	7,67 €
42-2435	0.56	50 m	17,80 €
42-2436	0.52	2.5 m	7,67 €
42-2437	0.52	50 m	17,80 €
42-2438	0.48	2.5 m	7,67 €
42-2439	0.48	50 m	17,80 €
42-2440	0.44	2.5 m	7,67 €
42-2441	0.44	50 m	17,80 €
42-2442	0.40	2.5 m	7,67 €
42-2443	0.40	50 m	17,80 €
42-2444	0.36	2.5 m	7,67 €
42-2445	0.36	50 m	17,80 €

## 4. Saiten / Strings / Cordes / Corde

42-2446	0.33	2.5 m	7,67 €
42-2447	0.33	50 m	17,80 €
42-2448	0.30	2.5 m	7,67 €
42-2449	0.30	50 m	17,80 €
42-3158	0.27	2.5 m	7,67 €
42-3157	0.27	50 m	17,80 €
42-3160	0.25	2.5 m	7,67 €
42-3159	0.25	50 m	17,80 €
42-3162	0.23	2.5 m	7,67 €
42-3161	0.23	50 m	17,80 €




**Eisen Typ C**  
für späte Hammerflügel  
L = 2.50 m (Saite); 50 m (Spule)

**Iron type C**  
for late fortepianos  
L = 2.50 m (strings); 50 m (reel)

**Fer type C**  
pour les fortepianos tardifs  
L = 2.50 m (corde); 50 m (bobine)

**Ferro tipo C**  
per i fortepiani più tardi  
L = 2.50 m (corde); 50 m (gomito)



**Weitere Informationen** zu den untenstehenden Richtwerten, den Reisstests und dem Lieferumfang finden Sie am Anfang des Kapitels. **Please find** further information about the indexes, the tear tests and the delivery volume at the beginning of this chapter.

**Veillez trouver** les autres informations de valeurs indicatives, de tests de ruptures et de volume de livraison au commencement du ce chapitre.

**Ulteriori informazioni** su misure riverimento, testi di rotura e volume di consegna si trovano al linizio del capitolo.

Ø	0.33	0.40	0.60	0.80	1.00	mm
R <sub>m</sub>	1500	1400	1200	1050	950	N/mm <sup>2</sup>
max .	56	57	57	58	59	%
415Hz	334	324	302	284	273	mm
440Hz	315	305	285	268	258	mm

Dichte / weight / poids / densita = 7.773 g/cm<sup>3</sup>

Nr/No/N°	Ø	L	≥1
42-2750	1.15	2.5 m	7,67 €
42-2751	1.15	50 m	21,20 €
42-2752	1.07	2.5 m	7,67 €
42-2753	1.07	50 m	21,20 €
42-2754	1.00	2.5 m	7,67 €
42-2755	1.00	50 m	21,20 €
42-2756	0.95	2.5 m	7,67 €
42-2757	0.95	50 m	21,20 €
42-2758	0.90	2.5 m	7,67 €
42-2759	0.90	50 m	21,20 €
42-2760	0.85	2.5 m	7,67 €
42-2761	0.85	50 m	21,20 €
42-2762	0.80	2.5 m	7,67 €
42-2763	0.80	50 m	21,20 €


42-2764	0.75	2.5 m	7,67 €
42-2765	0.75	50 m	21,20 €
42-2766	0.70	2.5 m	7,67 €
42-2767	0.70	50 m	21,20 €
42-2768	0.65	2.5 m	7,67 €
42-2769	0.65	50 m	21,20 €
42-2770	0.60	2.5 m	7,67 €
42-2771	0.60	50 m	21,20 €
42-2772	0.56	2.5 m	7,67 €
42-2773	0.56	50 m	21,20 €
42-2774	0.52	2.5 m	7,67 €
42-2775	0.52	50 m	21,20 €
42-2776	0.48	2.5 m	7,67 €
42-2777	0.48	50 m	21,20 €
42-2778	0.44	2.5 m	7,67 €
42-2779	0.44	50 m	21,20 €
42-2780	0.40	2.5 m	7,67 €
42-2781	0.40	50 m	21,20 €
42-3164	0.36	2.5 m	7,67 €
42-3163	0.36	50 m	21,20 €
42-3166	0.33	2.5 m	7,67 €
42-3165	0.33	50 m	21,20 €

**Messing CuZn30**  
L = 2.50 m (Saite); 50 m (Spule)

**Brass CuZn30**  
L = 2.50 m (strings); 50 m (reel)

**Laiton CuZn30**  
L = 2.50 m (corde); 50 m (bobine)

**Ottone CuZn30**  
L = 2.50 m (corde); 50 m (gomito)



**Weitere Informationen** zu den untenstehenden Richtwerten, den Reisstests und dem Lieferumfang finden Sie am Anfang des Kapitels. **Please find** further information about the indexes, the tear tests and the delivery volume at the beginning of this chapter.

**Veillez trouver** les autres informations de valeurs indicatives, de tests de ruptures et de volume de livraison au commencement du ce chapitre.

**Ulteriori informazioni** su misure riverimento, testi di rotura e volume di consegna si trovano al linizio del capitolo.

Ø	0.21	0.30	0.48	0.70	1.00	mm
R <sub>m</sub>	970	950	850	800	700	N/mm <sup>2</sup>
max .	62	60	60	58	57	%
415Hz	270	262	248	237	217	mm
440Hz	255	247	234	224	205	mm

Dichte / weight / poids / densita = 8.5 g/cm<sup>3</sup>

Nr/No/N°	Ø	L	≥1
42-3733	0.95	2.5 m	7,67 €
42-3734	0.95	50 m	29,70 €
42-3731	0.90	2.5 m	7,67 €
42-3732	0.90	50 m	29,70 €
42-3729	0.85	2.5 m	7,67 €
42-3730	0.85	50 m	29,70 €

## 4. Saiten / Strings / Cordes / Corde

42-2467	0.80	2.5 m	7,67 €
42-2468	0.80	50 m	29,70 €
42-2469	0.75	2.5 m	7,67 €
42-2470	0.75	50 m	29,70 €
42-2471	0.70	2.5 m	7,67 €
42-2472	0.70	50 m	24,40 €
42-2473	0.65	2.5 m	7,67 €
42-2474	0.65	50 m	24,40 €
42-2475	0.60	2.5 m	7,67 €
42-2476	0.60	50 m	24,40 €
42-2398	0.56	2.5 m	7,67 €
42-2399	0.56	50 m	24,40 €
42-2400	0.52	2.5 m	7,67 €
42-2401	0.52	50 m	24,40 €
42-2402	0.48	2.5 m	7,67 €
42-2403	0.48	50 m	24,40 €
42-2404	0.44	2.5 m	7,67 €
42-2405	0.44	50 m	24,40 €
42-2406	0.40	2.5 m	7,67 €
42-2407	0.40	50 m	24,40 €
42-2408	0.36	2.5 m	7,67 €
42-2409	0.36	50 m	24,40 €
42-2410	0.33	2.5 m	7,67 €
42-2411	0.33	50 m	24,40 €
42-2412	0.30	2.5 m	7,67 €
42-2413	0.30	50 m	24,40 €
42-2414	0.27	2.5 m	7,67 €
42-2415	0.27	50 m	24,40 €
42-2416	0.25	2.5 m	7,67 €
42-2417	0.25	50 m	24,40 €
42-2418	0.23	2.5 m	7,67 €
42-2419	0.23	50 m	24,40 €
42-2420	0.21	2.5 m	7,67 €
42-2421	0.21	50 m	24,40 €
42-2422	0.19	2.5 m	7,67 €
42-2423	0.19	50 m	24,40 €

### Rotmessing CuZn10

L = 2.50 m (Saitte); 50 m (Spule)

### Red brass CuZn10


L = 2.50 m (strings); 50 m (reel)

### Laiton rouge CuZn10

L = 2.50 m (corde); 50 m (bobine)

### Ottone CuZn10

L = 2.50 m (corde); 50 m (gomito)



**Weitere Informationen** zu den untenstehenden Richtwerten, den Reisstests und dem Lieferumfang finden Sie am Anfang des Kapitels. **Please find** further information about the indexes, the tear tests and the delivery volume at the beginning of this chapter.

**Veillez trouver** les autres informations de valeurs indicatives, de tests de ruptures et de volume de livraison au commencement du ce chapitre.

**Ulteriori informazioni** su misura riverimento, testi di rotura e volume di consegna si trovano al linizio del capitolo.

Ulteriori informazioni su misura riverimento, testi di rotura e volume di consegna si trovano al linizio del capitolo.

Ø	0.36	0.44	0.52	0.60	0.80	mm
R <sub>m</sub>	660	640	600	540	500	N/mm <sup>2</sup>
max .	66	66	66	66	64	%
415Hz	226	224	217	208	194	mm
440Hz	214	211	205	196	184	mm

Dichte / weight / poids / densita = 8.7 g/cm<sup>3</sup>

Nr/No/N°	Ø	L	≥1
42-2457	0.80	2.5 m	7,67 €
42-2458	0.80	50 m	30,80 €
42-2459	0.75	2.5 m	7,67 €
42-2460	0.75	50 m	30,80 €
42-2461	0.70	2.5 m	7,67 €
42-2462	0.70	50 m	25,40 €
42-2463	0.65	2.5 m	7,67 €
42-2464	0.65	50 m	25,40 €
42-2465	0.60	2.5 m	7,67 €
42-2466	0.60	50 m	25,40 €
42-2386	0.56	2.5 m	7,67 €
42-2387	0.56	50 m	25,40 €
42-2388	0.52	2.5 m	7,67 €
42-2389	0.52	50 m	25,40 €
42-2390	0.48	2.5 m	7,67 €
42-2391	0.48	50 m	25,40 €
42-2392	0.44	2.5 m	7,67 €
42-2393	0.44	50 m	25,40 €
42-2394	0.40	2.5 m	7,67 €
42-2395	0.40	50 m	25,40 €
42-2396	0.36	2.5 m	7,67 €
42-2397	0.36	50 m	30,80 €